

725/80*
82
85

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

(A)

MESSAGE TYPE	PARAMETER LENGTH	PARAMETER	
32 bits	16 bits	32 bits	32 bits
OBSERVE TYPE	8	EVENT NO.	OBSERVER

(B)

MESSAGE TYPE	PARAMETER LENGTH	PARAMETER	
32 bits	16 bits	32 bits	32 bits
CANCEL TYPE	8	EVENT NO.	OBSERVER

(C)

MESSAGE TYPE	PARAMETER LENGTH	PARAMETER		
32 bits	16 bits	32 bits	16 bits	VARIABLE LENGTH
REPORT TYPE	VARIABLE LENGTH	EVENT NO.	PARAMETER LENGTH	PARAMETER

FIG. 6




FIG. 7

SENDER NODE	BROADCAST ID	CLIENT ID	BODY
DEPENDENT ON NETWORK	32 bits	32 bits	VARIABLE LENGTH

FIG. 8

MESSAGE TYPE	CLIENT ID	LOCAL ID OF DESTINATION
PULSE TRANS- MISSION TYPE	PULSE PACKET	BROADCAST MANAGER
REPORT TYPE	EVENT	EVENT MANAGER
SEARCH TYPE	SERVICE SEARCH	SERVICE REGISTRY

ID CONTAINED
IN HEADER
IN NETWORK

ID IN DESTINATION
WHEN BROADCAST MESSAGE
IS RECEIVED FROM OUTSIDE

TYPE OF MESSAGE RECEIVED
BY BROADCAST MANAGER
WITHIN APPARATUS

06040500"031000

FIG. 9

BROADCAST TIME	BROADCAST ID	CLIENT ID	BODY
DEPENDENT ON NODE	32 bits	32 bits	VARIABLE LENGTH

FIG. 10

SENDER NODE	BROADCAST ID	CLIENT ID
DEPENDENT ON NETWORK	32 bits	32 bits

FIG. 11

TAM TYPE	SENDER NODE	BROADCAST ID	RECEPTION TIME
16 bits	64 bits	32 bits	DEPENDENT ON NODE

FIG. 12





FIG. 13



20250409 09:04:00

FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20

